

# SMOG FILTER/Ex

GENERAL FILTRATION OF DUST AND GAS

## APPLICATION

- cleaning the air from vapour, gas dust, in chemical-, analitic-, bio-logical laboratories, during the grinding of various materials
- control of unpleasant smells appearing e.g. during gluing or usage of various types of aerosoles
- usage in zones of Ex hazard

## FEATURES

The appliance consists of:

- steel housing,
- Ex fan – located in the bottom part of the system, at the side of clean air,
- pre-filter Paint-Stop,
- high-efficiency HEPA filter – class H13,
- cassettes with granulated activated carbon,
- terminal box,
- motor starter – installed in the room, beyond the zone of Ex hazard,
- inlet cover (on demand).

## ADVANTAGES

- high filtration efficiency
- safe contamination control of the air, in the zones of the Ex hazard
- full recirculation of the extracted air
- activated carbon – wide range of absorbtion of numerous che-mical compounds





 II 2 G c Ex e II T3

## TECHNICAL DATA

Type	Part No.	Maximum volume flow [m³/h]	Marking	Maximum vacuum [Pa]	Motor rate [kW]	Supply voltage [V/Hz]	Acoustic pressure level [dB(A)]*	Weight [kg]
SMOG FILTER-1200/Ex	801O35	1200	II 2 G c Ex e II T3	1270	0,55	3x400/50	59	230

\* Acoustic pressure level was measured from distanxe of 1m.

SMOG Filter-1200/Ex




REPLACEABLE FILTERS

HIGH-EFFICIENCY HEPA FILTER


	Type	Part No.	Weight [kg]	Dimensions AxBxH [mm]	Class	Quantity of filters	Application	Filtration material
	FW-SF-Ex	852F00	3,2	390x535x292	H13	2	SMOG Filter-1200/Ex	hydrophobic glass paper filtration efficiency: 99,95%

CASSETTE WITH ACTIVATED CARBON

	Type	Part No.	Weight [kg]	Dimensions AxBxH [mm]	Quantity of cassettes	Application	Remarks
	WA-ECO-20	838K98	24*	534x534x155	3	SMOG Filter-1200/Ex	the cassette case is of cardboard and plywood


\* Weight of the active carbon – 20 kg.

PRE-FILTER PAINT-STOP

	Type	Part No.	Weight [kg]	Dimensions AxBxH [mm]	Class	Quantity of filters	Application	Filtration material
	PS-SF	852F02	0,5	800x535x50	G3	1	SMOG Filter-1200/Ex	non-woven of glass fibre with progressively increasing density

ADDITIONAL EQUIPMENT

INLET GUARD

	Type	Part No.	Weight [kg]	Diameter D [mm]
	K-SF	810H70	0,7	Ø450

# VALUES OF ACTIVATED CARBON ABSORPTION EFFICIENCY FOR VARIOUS TYPES OF VAPORS AND GASES

## High efficiency

ethyl acrylate –  $C_5H_8O_2$   
 methyl acrylate –  $C_4H_6O_2$   
 acrylonitrile –  $C_3H_3N$   
 valeraldehyde –  $C_5H_{10}O$   
 amyl alcohol –  $C_5H_{12}O$   
 butyl alcohol –  $C_4H_{10}O$   
 propyl alcohol –  $C_3H_7OH$   
 aniline –  $C_6H_5NH_2$   
 naphta (petroleum)  
 naphta (coal tar)  
 bromine –  $Br_2$   
 butyl cellosolve –  $C_6H_{14}O_2$   
 cellosolve –  $C_4H_{10}O_2$   
 cellosolve acetate –  $C_6H_{12}O_3$   
 butyl chloride –  $C_4H_9Cl$   
 propyl chloride –  $C_3H_7Cl$   
 monochlorobenzene –  $C_6H_5Cl$   
 chlorobenzene –  $C_6H_5Cl$   
 ethylene chlorhydrin –  $C_2H_5ClO$   
 chloroform –  $CHCl_3$   
 chloronitropropane –  $C_3H_6ClNO_2$   
 chloropicrin –  $CCl_3NO_2$   
 chlorobutadiene –  $C_4H_5Cl$   
 cyclohexanol –  $C_6H_{12}O$   
 cyclohexanone –  $C_6H_{10}O$   
 tetrachloroethane –  $C_2H_2Cl_4$   
 tetrachloroethylene –  $C_2Cl_4$   
 carbon tetrachloride –  $CCl_4$   
 decane –  $C_{10}H_{22}$   
 dioxane –  $C_4H_8O_2$   
 dibromomethane –  $CH_2Br_2$   
 ethylene dichloride –  $C_2H_4Cl_2$   
 dichlorobenzene –  $C_6H_4Cl_2$   
 dichloroethane –  $C_2H_4Cl_2$   
 dichloroethylene –  $C_2H_2Cl_2$   
 dichloronitroethane –  $CH_3CCl_2NO_2$   
 dichloropropane –  $C_3H_6Cl_2$   
 dimethylaniline –  $C_8H_{11}N$   
 amyl ether –  $C_{10}H_{22}O$   
 butyl ether –  $C_8H_{18}O$   
 dichloroethyl ether –  $C_4H_8Cl_2O$   
 isopropyl ether –  $C_6H_{14}O$   
 propyl ether –  $C_6H_{14}O$   
 ethyl benzene –  $C_8H_{10}$   
 phenol –  $C_6H_6O$   
 heptane –  $C_7H_{16}$   
 heptylene –  $C_7H_{14}$   
 indole –  $C_8H_7N$   
 isophorone –  $C_9H_{14}O$   
 iodine –  $I$   
 iodoform –  $CHI_3$   
 camphor –  $C_{10}H_{16}O$   
 diethyl ketone –  $C_5H_{10}O$   
 dipropyl ketone –  $C_7H_{14}O$   
 methyl butyl ketone –  $C_6H_{12}O$   
 methyl isobutyl ketone –  $C_6H_{12}O$   
 methyl ethyl ketone –  $C_4H_8O$

creosole –  $C_8H_{10}O_2$   
 cresol –  $C_7H_8O$   
 crotonaldehyde –  $C_4H_6O$   
 ethyl silicate –  $C_8H_{20}O_4Si$   
 acrylic acid –  $C_3H_4O_2$   
 caprylic acid –  $C_8H_{16}O_2$   
 butyric acid –  $C_4H_8O_2$   
 lactic acid –  $C_3H_6O_3$   
 uric acid –  $C_5H_4N_4O_3$   
 acetic acid –  $CH_3COOH$   
 propionic acid –  $C_3H_6O_2$   
 valeric acid –  $C_5H_{10}O_2$   
 menthol –  $C_{10}H_{20}O$   
 ethyl mercaptan –  $C_2H_6S$   
 propyl mercaptan –  $C_3H_6S$   
 methyl cellosolve –  $C_3H_8O_2$   
 methyl cellosolve acetate –  $C_5H_{10}O_3$   
 methylcyclohexane –  $C_7H_{14}$   
 methylcyclohexanol –  $C_7H_{14}O$   
 urea –  $CH_4N_2O$   
 kerosene  
 nicotine –  $C_{10}H_{14}N_2$   
 nitrobenzene –  $C_6H_5NO_2$   
 nitroethane –  $C_2H_5NO_2$   
 nitroglycerine –  $C_3H_5N_3O_9$   
 nitropropane –  $C_3H_7NO_2$   
 nitrotoluene –  $C_7H_7NO_2$   
 nonane –  $C_9H_{20}$   
 amyl acetate –  $C_7H_{14}O_2$   
 butyl acetate –  $C_6H_{12}O_2$   
 ethyl acetate –  $C_4H_8O_2$   
 isopropyl acetate –  $C_5H_{10}O_2$   
 propyl acetate –  $C_5H_{10}O_2$   
 octalene –  $C_{12}H_8Cl_6$   
 octane –  $C_8H_{18}$   
 putrescine –  $C_4H_{12}N_2$   
 ozone –  $O_3$   
 paradichlorobenzene –  $C_6H_4Cl_2$   
 pentanone –  $C_5H_{10}O$   
 perchloroethylene –  $C_2Cl_4$   
 pyridine –  $C_5H_5N$   
 dimethylsulphate –  $C_2H_6O_4S$   
 skatole –  $C_9H_9N$   
 styrene monomer –  $C_8H_8$   
 turpentine –  $C_{10}H_{16}$   
 mesityl oxide –  $C_6H_{10}O$   
 toluene –  $C_7H_8$   
 toluidine –  $C_7H_9N$   
 trichloroethylene –  $C_2HCl_3$

## Average efficiency

acetone –  $C_3H_6O$   
 acetylene –  $C_2H_2$   
 acrolein –  $C_3H_4O$   
 butyraldehyde –  $C_4H_8O$   
 ethyl alcohol –  $C_2H_5OH$   
 methyl alcohol –  $CH_3OH$   
 benzene –  $C_6H_6$

ethyl bromide –  $C_2H_5Br$   
 methyl bromide –  $CH_3Br$   
 butadiene –  $C_4H_6$   
 chlorine –  $Cl_2$   
 ethyl chloride –  $C_2H_5Cl$   
 vinyl chloride –  $C_2H_3Cl$   
 cyclohexene –  $C_6H_{10}$   
 dichlorodifluoromethan –  $CCl_2F_2$   
 diethyl amine –  $C_4H_{11}N$   
 carbon disulphide –  $CS_2$   
 ether –  $C_4H_{10}O$   
 ethyl ether –  $C_4H_{10}O$   
 ethyl amine –  $C_2H_7N$   
 fluorotrichloromethan –  $CCl_3F$   
 phosgene –  $COCl_2$   
 anaesthetics  
 hexane –  $C_6H_{14}$   
 hexylene –  $C_6H_{12}$   
 hexyne –  $C_6H_{10}$   
 isoprene –  $C_5H_8$   
 hydrogen iodide –  $HI$   
 xylene –  $C_8H_{10}$   
 formic acid –  $HCOOH$   
 methyl mercaptan –  $CH_3SH$   
 ethyl formate –  $C_3H_6O_2$   
 methyl formate –  $C_2H_4O_2$   
 nitromethane –  $CH_3NO_2$   
 methyl acetate –  $C_3H_6O_2$   
 pentane –  $C_5H_{12}$   
 pentylene –  $C_5H_8$   
 pentyne –  $C_5H_8$   
 propionandehyde –  $C_3H_6O$   
 ethylene oxide –  $C_2H_4O$   
 carbon monoxide –  $CO$

## Low efficiency

acetaldehyde –  $C_2H_4O$   
 ammonia –  $NH_3$   
 hydrogen bromide –  $HBr$   
 butane –  $C_4H_{10}$   
 butanone –  $C_4H_8O$   
 butylene –  $C_4H_8$   
 butyne –  $C_4H_6$   
 methyl chloride –  $CH_3Cl$   
 hydrogen chloride –  $HCl$   
 hydrogen cyanide –  $HCN$   
 nitrogen dioxide –  $NO_2$   
 sulphur dioxide –  $SO_2$   
 hydrogen fluoride –  $HF$   
 formaldehyde –  $CH_2O$   
 propane –  $C_3H_8$   
 propylene –  $C_3H_6$   
 propyne –  $C_3H_4$   
 hydrogen selenide –  $H_2Se$   
 hydrogen sulphide –  $H_2S$   
 sulphur trioxide –  $SO_3$